

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	2	predict\$3 near5 change same interval near5 transition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 10:33
S4	188	predict\$3 near5 change same interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 10:33
S5	7	predict\$3 near5 change same interval same transition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 10:34
S6	316	predict\$3 near5 chang\$3 same interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 10:43
S7	12	predict\$3 near5 chang\$3 same interval same transition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 10:44
S8	190	predict\$3 same interval same transition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 10:44
S9	1468	predict\$3 near8 transition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 10:45
S10	27	predict\$3 near8 transition\$3 near8 interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 10:49
S11	985	(mode or state) near5 transition\$3 near8 interval	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 10:51
S12	67643	chang\$3 near3 power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 10:52

S13	8	S11 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/01 10:52
S14	8	predict\$3 near5 activity near8 (instruction or data) near3 input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 11:20
S15	3	predict\$3 near5 activity near8 control\$4 near3 power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 15:50
S16	0	predict\$3 near5 activity near8 control\$4 near3 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 15:50
S17	314	predict\$3 near8 control\$4 near3 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 15:51
S18	612	predict\$3 near8 control\$4 near3 power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 15:51
S19	741	predict\$3 near8 control\$4 near5 power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 17:05
S20	109	(predict\$3 near8 control\$4 near5 power) and circuit.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 15:54
S21	114	(predict\$3 near8 control\$4 near5 power) same circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 15:54
S22	4	((predict\$3 near8 control\$4 near5 power) same circuit) same processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 15:54

S23	3	predict\$3 near8 control\$4 near5 power near5 blocks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 16:03
S24	2	predict\$3 near8 control\$4 near5 power near5 portions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 16:05
S25	3	predict\$3 near8 control\$4 near5 power near5 parts	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 16:05
S26	12	predict\$3 same control\$4 near5 power near8 blocks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 16:15
S27	26	predict\$3 same control\$4 near5 power near8 units	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 16:15
S28	5	predict\$3 near8 control\$4 near5 power near8 units	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 16:16
S29	31	instructions near8 control\$4 near5 power near8 units	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 16:16
S30	5761	predict\$3 same based near5 (clock or tim\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 16:42
S31	39	predict\$3 near5 \$3activity same based near5 (clock or tim\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 16:43
S32	17	predict\$3 near8 control\$4 near5 power and reset near8 counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 17:06

S33	0	counter same elaps\$3 same no near3 input same shutdown	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/30 08:28
S34	36	counter same elaps\$3 same no near3 input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/30 08:28
S39	3445	detect\$3 near5 input\$3 near5 block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:17
S40	49	S39 with reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:17
S42	4	S39 with reset\$4 near5 timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:23
S43	13	input near5 "and" near5 expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:28
S44	0	"no input" near5 "and" near5 expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:28
S45	0	"no input" with "and" with expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:28
S46	12737	"no input"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:28
S47	27	"no input" with expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:37

S49	123	"no input" near8 reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:38
S50	9	"no input" near8 reset\$4 near5 timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:49
S51	269	"no input" with "and"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:50
S52	164	"no input" with "and" near2 gate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:50
S53	163	"no input" with ("and" adj2 gate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:01
S54	0	S53 same expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:51
S55	3	S53 same shut\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:54
S56	12	S53 same power\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:54
S57	124	absence near3 input with ("and" adj2 gate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:58
S58	5	absence near3 input with expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:00

S59	66	"no input detected"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:01
S60	0	S59 with expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:01
S62	0	S59 same expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:02
S63	2984	"input detected"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:01
S64	0	S63 same expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:02
S65	150	detect\$5 near5 input with expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:17
S66	24	S65 same power\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:03
S67	16	detect\$5 near5 input with after near5 expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 17:17
S68	13	(power near5 table) near5 history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 17:17
S69	38	control near3 lines near8 operating near3 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:23

S70	48436	frequency near3 divider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:24
S71	16	S70 and sleep same active adj2 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:25
S72	27	S70 same sleep adj2 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:50
S73	2	S70 same sleep adj2 mode same register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:27
S74	241	S70 same increas\$3 near5 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:33
S75	0	S74 same sleep	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:32
S76	61	S70 same increas\$3 near3 divider near3 ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:33
S77	2	S74 same low near3 power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 15:34
S78	21	(increas\$3 near5 divider near3 ratio) same (decreas\$3 near5 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:52
S79	80	power adj2 control adj2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:54

S80	2	updat\$3 near5 power adj2 control adj2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:56
S81	24	updat\$3 near5 power adj2 table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 16:59
S82	29	updat\$3 near5 clock near3 counts	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:03
S83	34	determin\$3 near5 clock with history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:08
S84	123	determin\$3 near5 power with history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:09
S85	7	determin\$3 near5 power near3 require\$4 with history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:11
S86	2	determin\$3 near5 clock near3 cycles with history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:11
S87	6	determin\$3 near5 clock near3 cycles with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:26
S88	30	updat\$3 near5 timeout near3 value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 17:26
S89	136	cpu same (receiv\$3 near3 command) same (power near3 control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 10:38